



SAFETY DATA SHEET

Page 1 of 3

DRY ROT PAINT

Revision 0
Revision date 24-Feb-2009

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name DRY ROT PAINT
Company Wykamol Group Limited
Unit 3, Boran Court
Network 65 Business Park
Hapton, Burnley
Lancashire. BB11 5TH
sales@wykamol.com www.wykamol.com
Telephone 0845 400 6666
Emergency telephone number 0845 400 6666

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients	Conc.	CAS	EINECS	Symbols/Risk phrases
3-iodo-2-propynyl butylcarbamate	1 - 10%	55406-53-6	259-627-5	Xn; R20/22 Xi; R41 N; R50

3. HAZARDS IDENTIFICATION

Main hazards No Significant Hazard

4. FIRST AID MEASURES

Skin contact May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Eye contact May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Inhalation May cause irritation to mucous membranes. Move the exposed person to fresh air.
Ingestion May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

5. FIRE FIGHTING MEASURES

Extinguishing media Use extinguishing media appropriate to the surrounding fire conditions.
Fire hazards Burning produces irritating, toxic and obnoxious fumes.
Protective equipment Wear suitable respiratory equipment when necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation of the working area.
Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe.
Clean up methods Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

Print date 24-Feb-2009

DRY ROT PAINT

Revision 0
Revision date 24-Feb-2009

7. HANDLING AND STORAGE

Handling	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
Storage	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers. Keep out of reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures	Ensure adequate ventilation of the working area.
Hand protection	Chemical resistant gloves (PVC)
Eye protection	In case of splashing, wear: Approved safety goggles.
Protective equipment	Wear protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description	Viscous liquid.
Colour	White.
Odour	Mild.
pH	6 - 8
Boiling point	> 100°C
Flammability limits	Non flammable
Relative density	1.4 - 1.5
Water solubility	miscible in water.

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
------------------	---------------------------------

11. TOXICOLOGICAL INFORMATION

Toxicological information

3-iodo-2-propynyl butylcarbamate	Oral Rat LD50 = 1470 mg/l Dermal Rabbit LD50 = >2000 mg/l
----------------------------------	--

12. ECOLOGICAL INFORMATION

Ecotoxicity

3-iodo-2-propynyl butylcarbamate	Algae EC50/72h = 0.022 mg/l Daphnia EC50/48h = 0.16 mg/l
----------------------------------	---

13. DISPOSAL CONSIDERATIONS

General information	Dispose of in compliance with all local and national regulations.
Disposal of packaging	Empty containers can be sent for disposal or recycling.

14. TRANSPORT INFORMATION

Further information	The product is not classified as dangerous for carriage.
----------------------------	--

DRY ROT PAINT

Revision 0
Revision date 24-Feb-2009

15. REGULATORY INFORMATION

Risk phrases

Further information Use only in accordance with Statutory Precautions given under the Control of Pesticides Regulations 1986. HSE No. 6310.

16. OTHER INFORMATION

Text of risk phrases in R20/22 - Harmful by inhalation and if swallowed.

Section 2 R41 - Risk of serious damage to eyes.

R50 - Very toxic to aquatic organisms.

Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.